



safety

FOR SAFE
WORKING LIVES

5 HEARING PROTECTION





HEARING PROTECTION

5



NOISE INDUCED HEARING LOSS IS PERMANENT, YET CAN BE LARGELY PREVENTABLE

When coupled with effective noise control measures, appropriate and correctly fitted hearing protection devices can help prevent hearing loss. At Bunzl Safety we supply the latest ear muffs, earplugs and dispensers suited to low and high noise environments - from all the leading brands you can trust.

EARMUFFS	6-11
HYGIENE KITS	12-13
ACCESSORIES	14
UNCORDED EARPLUGS	16-19
CORDED EARPLUGS	20-22
DISPENSERS + REFILLS	24-25
REUSEABLE EARPLUGS	26-27
ELECTRONIC EARMUFFS	28-29

UNDERSTANDING HEARING PROTECTION

HEARING DAMAGE IS GRADUAL, OFTEN HAPPENS WITHOUT WORKERS KNOWLEDGE AND ONCE DETERIORATION OCCURS, IT IS IRREVERSIBLE.

LONG TERM DAMAGE IS NOT USUALLY APPARENT UNTIL 10 TO 20 YEARS AFTER EXPOSURE.


Although induced hearing loss is largely preventable, in Australia and New Zealand industrial hearing loss represents one of the major areas of compensation.

Awareness and preventative measures are essential for hearing conservation, and with the appropriate solutions noise induced hearing loss is largely avoidable.

Contributing factors to workplace noise are often compounded by secondary sources including traffic, machinery, electrical equipment and music. These are just some examples that are very predominant in today's environment.

INJURIES ARE LIFELONG

The human ear is designed to pick up natural sounds. Many workplace processes and applications can generate noise levels that are potentially harmful to hearing. When the tiny sensory hair cells are repeatedly exposed to excessive doses of noise, they break. The surviving sensory hair cells can only process a fraction of the usual information transfer, thus leading to permanent hearing damage.



THE CLASS SYSTEM FOR NOISE LEVEL PRODUCTION


Under the Standard AS/NZS 1270, there is a classification method for the selection of hearing protectors. Once the extent of the noise hazard has been determined by a noise level survey, the user simply applies this to the classification table below to select an appropriate hearing protector. The class system is a simple way to select hearing protection appropriate to the noise exposure.

CLASS	AVERAGE EXPOSURE dB(A) OVER 8 HOURS	SLC80 dB(A) RANGE
1	Less than 90	10 to 13
2	90 to less than 95	14 to 17
3	95 to less than 100	18 to 21
4	100 to less than 105	22 to 25
5	105 to less than 110	26 or Greater

WHAT IS SLC80?


SLC stands for Sound Level Conversion; it is a rating defined as the difference between the sound level of the environment in which the hearing protection device is worn, and the sound level reaching the wearer's ears. The SLC value includes a correction to ensure that the stated degree of noise reduction is obtained on 80% of occasions hence the SLC80 rating.

EARPLUG FITTING INSTRUCTIONS



UNDERSTANDING EAR PROTECTION


EASY TO DAMAGE - EASY TO PROTECT



100% USAGE

Damage to hearing depends not only on the actual noise level but also exposure time. Just five minutes of carelessness during an eight-hour day can potentially lead to lifelong hearing loss.

That's why 100% usage is critical in noisy environments if you are to get the adequate protection from your chosen hearing protector. Choose a comfortable hearing protector that suits your needs.



HEARING PROTECTION STANDARDS

AS/NZS 1270:2002 ACOUSTICS - HEARING PROTECTORS

This Standard specifies requirements for the design, materials, and performance of conventional hearing protectors. It also provides guidance on the general requirements for, and the physical and acoustic testing of, specialist hearing protectors.

Under Standard AS/NZS 1270 hearing protectors are tested across a range of noise frequencies where a SLC80 rating is mathematically calculated. The results are stated as Class which is determined by the SLC80 rating obtained. The test results are found on the packaging of the hearing protector.

Content courtesy of **3M**



CLASS 5 EARMUFFS



NEW

PRO OVERHEAD EARMUFF SLC80 31dB

FEATURES AND BENEFITS

- Hearing protection for noise levels to 111dB (A)
- High performance and strong durability - steel wire construction
- Contemporary design and increased wearer comfort due to low clamping force
- Solid, light weight ear cup construction and high quality ear cushions

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
FRPROHBMF000CL5	Black	1	24



NEW

PRO HELMET ATTACHED EARMUFF SLC80 31dB

FEATURES AND BENEFITS

- High performance hearing protection for noise levels to 111dB (A)
- Contemporary design and increased wearer comfort
- Solid, light weight ear cup construction and high quality ear cushions
- Helmet Attached - suitable for use with most hard hats, comes with 32 and 25mm helmet posts
- 2 park positions available when not used: on the cap or away from the cap

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
FRPROCAMF000CL5	Orange	1	10



NEW

PRO NECKBAND EARMUFF SLC80 31dB

FEATURES AND BENEFITS

- High performance hearing protection for noise levels to 111dB (A)
- Contemporary design and increased wearer comfort
- Solid, light weight ear cup construction and high quality ear cushions
- Neckband Style

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
FRPRNBMFBK0CL5	Black	1	24



OVERHEAD EARMUFF SLC80 30dB

FEATURES AND BENEFITS

- High quality robust hearing protection - high noise use
- Hi vis colour for increased visibility
- Hi vis padded headband for comfort and visibility
- Stainless steel wire headband construction

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
FRARMUFFYY00C5	Yellow	1	24



MX-5 EARMUFF SLC80 32dB

FEATURES AND BENEFITS

- Soft cushion-ribbed open air headband for cool comfort all day long
- Larger ear cushions allow freedom to fit almost all ears comfortably
- Extra soft foam/low pressure cushions and headband are PVC-Free
- Glossy surface for easy cleaning and longer wear

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
6120	Black	1	10



MX-6 EARMUFF SLC80 34dB

FEATURES AND BENEFITS

- Cushion-ribbed open air headband for all day long comfort
- Soft and durable headband for easy wearing
- Lightweight wire frame allows easy cup adjustment
- MX-6 features exclusive waffled cup foam for superior protection

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
6130	Black	1	10



PELTOR HEADBAND AND NECKBAND STYLE EARMUFF SLC80 33/34dB

FEATURES AND BENEFITS

- Extreme noise protection
- Exceptional wearer comfort
- Liquid and foam filled cushions provide a quality noise seal with low pressure

STANDARDS
AS/NZS 1270:2002

CODE	STYLE	SCC80 dB (A)	COLOUR	PACK QTY	CTN QTY
H10A	Headband Style	33	Black	1	10
H10B	Neckband style	34	Black	1	10



PELTOR CAP ATTACHED EARMUFF SLC80 33dB

FEATURES AND BENEFITS

- Extreme noise protection
- Exceptional wearer comfort
- Liquid and foam filled cushions provide a quality noise seal with low pressure
- Helmet attached style

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
H10P3G	Black	1	10

CLASS 5 EARMUFFS

3M PELTOR®



PELTOR HEADBAND EARMUFF SLC80 30dB

FEATURES AND BENEFITS

- Versatile and high quality - meet protection needs of almost any working environment
- Liquid and foam filled cushions provide a quality noise seal with low pressure
- Stainless steel headband

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
H7A	Black	1	10

3M PELTOR®



PELTOR CAP ATTACH EARMUFF SLC80 30dB

FEATURES AND BENEFITS

- Versatile and high quality - meet protection needs of almost any working environment
- Exceptional wearer comfort
- Liquid and foam filled cushions provide a quality noise seal with low pressure
- Helmet attached style

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
H7P3G	Black	1	10

3M PELTOR®



PELTOR NECKBAND EARMUFF SLC80 30dB

FEATURES AND BENEFITS

- Versatile and high quality - meet protection needs of almost any working environment
- All day wearer comfort
- Liquid and foam filled cushions provide a quality noise seal with low pressure
- Neck band style

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
H7B	Black	1	10

Honeywell HOWARD LEIGHT



LEIGHTNING HEADBAND EARMUFF L3 SLC80 33dB

FEATURES AND BENEFITS

- Broad profile, steel-wire construction
- High performance and durability without compromising comfort
- Air Flow Control™ technology for optimal attenuation
- Snap-in ear cushions for easy maintenance

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
1010924	Black	1	20

Honeywell HOWARD LEIGHT



LEIGHTNINGFOLDING EARMUFF MEDIUM PROFILE L2F SLC80 30dB

FEATURES AND BENEFITS

- High performance and durability without compromising comfort
- Steel-wire construction
- Air Flow Control™ technology for optimal attenuation
- Folding style

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
1011997	Dark Gray	1	20

Honeywell HOWARD LEIGHT



LEIGHTNING NECKBAND EARMUFF L1N SLC80 30dB

FEATURES AND BENEFITS

- High performance and durability without compromising comfort
- Steel-wire construction
- Air Flow Control™ technology for optimal attenuation
- Neck band style

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
1011994	Light Gray	1	20

Honeywell HOWARD LEIGHT



LEIGHTNING HEADBAND EARMUFF L1 SLC80 29dB

FEATURES AND BENEFITS

- Low profile, steel-wire construction
- High performance and durability without compromising comfort
- Air Flow Control™ technology for optimal attenuation
- Padded foam headband for long-term comfort with minimal pressure on the head

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
1010922	Light Gray	1	20

Honeywell HOWARD LEIGHT



THUNDER CAP MOUNTED EARMUFF T1H SLC80 26dB

FEATURES AND BENEFITS

- Designed for all-day comfort
- Dielectric construction protecting workers in electrical environments
- Air Flow Control™ technology for optimal attenuation
- Helmet attach style

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
1012530	Light Green	1	10

CLASS 4 EARMUFFS



CL4 OVERHEAD EARMUFF SLC80 24dB

FEATURES AND BENEFITS

- Trade quality hearing protection, for general purpose use
- Padded headband for comfort - 3 position headband
- Comfortable to wear with hard hat, respirator or visor
- Simple adjustable cup positioning

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
FREARMUFFW00C4	White	1	24



LEIGHTNING LOF FOLDABLE EARMUFF SLC80 25dB

FEATURES AND BENEFITS

- High performance and durability without compromising comfort
- Steel-wire construction
- Air Flow Control™ technology for optimal attenuation
- Ultra slimline folding style

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
1013461	Grey	1	20

CLASS 4 EAR MUFFS



PELTOR YELLOW HEADBAND EARMUFF SLC80 24dB

FEATURES AND BENEFITS

- Lightweight, comfortable and effective earmuffs
- Liquid and foam filled cushions provide a quality noise seal with low pressure
- Cost effective solution for a wide range of workplaces
- Stainless steel headband

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
H9A	Yellow	1	10



PELTOR CAP ATTACH EARMUFF SLC80 24dB

FEATURES AND BENEFITS

- Lightweight, comfortable and effective earmuffs
- Liquid and foam filled cushions provide a quality noise seal with low pressure
- Cost effective solution for a wide range of workplaces
- Helmet attached style

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
H9P3G	Yellow	1	10



PELTOR NECKBAND EARMUFF SLC80 24dB

FEATURES AND BENEFITS

- Lightweight, comfortable and effective earmuffs
- Liquid and foam filled cushions provide a quality noise seal with low pressure
- Cost effective solution for a wide range of workplaces
- Neck band attached style

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
H9B	Yellow	1	10



HYGIENE KITS



NEW



EARMUFF HYGIENE KIT PRO

FEATURES AND BENEFITS

- Maintain hygiene of communication headset
- Recommended replacement every 6 months with general use
- More frequent replacement with heavy use

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
FRPROHYGKBK0000	Black	6	60



HYGIENE KIT FOR MOLDEX MX-5 AND MX-6 MUFF

FEATURES AND BENEFITS

- Maintain hygiene of earmuffs
- Extends performance and life of earmuffs
- Includes cushions and foam inserts

STANDARDS
AS/NZS 1270:2002

CODE	DESCRIPTION	COLOUR	PACK QTY	CTN QTY
6125	To suit MX-5	Grey	1	20
6135	To suit MX-6	Black	1	20



PELTOR HYGIENE KIT - H6/H9

FEATURES AND BENEFITS

- Fits Peltor H6 and H9 series earmuffs
- Each kit contains replacement earcup inserts and padding
- Suitable for general industry

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
HY5	Black	1	20



PELTOR HYGIENE KIT- H7A CODE 04-L056

FEATURES AND BENEFITS

- Maintain hygiene of communications headsets - heavy use or multiple users
- Includes sealing rings and foam inserts for earmuffs
- Compatible with a variety of 3M™ Peltor™ products

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
HY7	Black	1	20



HYGIENE KITS



HOWARD LEIGHT HYGIENE KIT TO SUIT L1-L3 AND T1-T1H EARMUFF

FEATURES AND BENEFITS

- Extends performance and life of earmuff
- Recommended replacement every 6 months with general use, more frequently with heavy use

STANDARDS
AS/NZS 1270:2002

CODE	DESCRIPTION	COLOUR	PACK QTY
1011998	To suit L1/L1H/L1N earmuffs	Black	1
1011999	To suit L2/L2H/L2N/L2F earmuffs	Black	1
1012000	To suit L3 earmuff	Black	1
1010974	To suit T1/T1H earmuffs	Black	1

ACCESSORIES

Honeywell
HOWARD
LEIGHT



SLIM BELT CLIP

FEATURES AND BENEFITS

- Easy to attach to belt or pockets
- Convenient storage solution when earmuff is not in use
- Lightweight, low profile design

CODE	COLOUR	PACK QTY	CTN QTY
1016730	Black	1	10

Honeywell
HOWARD
LEIGHT



COOL PADS

FEATURES AND BENEFITS

- Apply to ear cushions to improve overall comfort and hygiene
- Keeps ears warm in cold climates, absorbs moisture in humid areas
- Made of dermatologically tested material
- Fits all Howard Leight earmuffs

CODE	COLOUR	PACK QTY	CTN QTY
1000365	N/A	5 Pairs	100

Honeywell
HOWARD
LEIGHT



EARMUFF CUSHION COVERS HONEYWELL OPTISORB

FEATURES AND BENEFITS

- Made from pure cotton to improve comfort and hygiene
- Sweat absorbing
- Washable and reusable
- Designed to fit all earmuffs

CODE	COLOUR	PACK QTY	CTN QTY
OPSB	N/A	50	-



CLASS 5 UNCORDED EARPLUGS



UNCORDED FOAM EARPLUGS SLC80 27dB

FEATURES AND BENEFITS

- Quality hearing protection for noise levels up to 27dB(A)
- Self-adjusting soft memory foam for comfort
- Expands to fit virtually every wearer
- Hi vis colour to identify wearer compliance

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
FREARPLUGY00C5	Yellow	200	2000



SPARKPLUG™ UNCORDED EARPLUGS SLC80 29dB

FEATURES AND BENEFITS

- Extra soft, low pressure foam for comfortable fit
- Tapered shape for easy insertion and removal - fits small ear canals
- Non-irritating smooth surface
- 100% PVC-Free

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
6604	Multi	200	10 Boxes



E-A-R™ PUSH-INS™ WITH GRIP RINGS UNCORDED EARPLUGS SLC80 27dB

FEATURES AND BENEFITS

- Grip rings ensure earplugs hold their position all day
- Unique cone shape inserts easily into ear canal with comfort
- Perfect for wearers with dirty hands
- Stem aids insertion
- Supplied in poly bag

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
318-1008	Yellow	200	10 Boxes



E-A-RSOFT™ FX™ UNCORDED EARPLUGS SLC80 26dB

FEATURES AND BENEFITS

- Soft, pliable foam offers comfort for wearing over an extended time
- Bell shape slow recovery foam that effectively seals the ear canal
- Compatible with EARfit™ validation system
- Suitable for general industry
- Supplied in poly bag

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
312-1261	Yellow	200	10 Boxes



CLASS 5 UNCORDED EARPLUGS



MAX® EARPLUGS UNCORDED SLC80 26dB

FEATURES AND BENEFITS

- Bell shape, for maximum in-ear comfort
- Contoured design, easy to insert
- Smooth, soil resistant skin prevents dirt build up

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
MAX-1BOX	Coral	200	2000



SKULL SCREWS™ UNCORDED EARPLUG SLC80 23dB

FEATURES AND BENEFITS

- High attenuation, metallic look
- No touch insertion - perfect for wearers with dirty hands
- Stem aids insertion
- Universal fit, no different sizes required
- Supplied in poly bag

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
P1300	Metallic Grey	120	4 Boxes



X-TREME® XTR-1 UNCORDED EARPLUGS SLC80 26dB

FEATURES AND BENEFITS

- Comfortable with high attenuation
- Brightly coloured offering high visibility and worker compliance
- Smooth tapered shape for easy insertion and removal
- Smooth, soil resistant skin prevents dirt build up

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
1006716	Orange	200	2000

CLASS 4 UNCORDED EARPLUGS

Honeywell
HOWARD LEIGHT



MAXLITE® UNCORDED EARPLUGS SLC80 25dB

FEATURES AND BENEFITS

- Guaranteed comfort for smaller ear canals
- Low-density foam expands gently
- Contoured T-shape for easy handling and fit
- Smooth, soil resistant skin prevents dirt build up

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
H-LPF-1	Green	200	2000

Honeywell
HOWARD LEIGHT



LASER LITE® LL-1 UNCORDED EARPLUG SLC80 25dB

FEATURES AND BENEFITS

- Highly visible protection
- Contoured T-shape for easy insertion and removal
- Smooth, soil resistant skin prevents dirt build up

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
LL-1-B	Magenta/Yellow	200	2000



CLASS 4 UNCORDED EARPLUGS

3M E-A-R



E-A-RSOFT™ SUPERFIT™ 30 UNCORDED EARPLUGS REGULAR SLC80 24dB


FEATURES AND BENEFITS

- Red line provides visible indication of correct fit
- Tapered design of the earplug provide high protection levels
- Suitable for general industry
- Supplied in poly bag

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
312-1256	Yellow	200	10 Boxes

3M E-A-R



E-A-RSOFT™ SUPERFIT™ 30 UNCORDED EARPLUGS LARGE SLC80 24dB

FEATURES AND BENEFITS

- Red line provide a visible indication of correct fit
- Tapered design of the earplug provide high protection levels
- General industry
- Supplied in poly bag

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
312-1255	Yellow	200	10 Boxes

3M E-A-R



E-A-R™ CLASSIC™ PLATINUM™ UNCORDED EARPLUGS SLC80 23dB

FEATURES AND BENEFITS


- Slow recovery, low pressure foam
- Noise barrier against high level sounds
- Bright yellow colour assists on hearing protection compliance check
- Suitable for general Industry

STANDARDS
AS/NZS 1270:2002

CODE	TYPE	COLOUR	PACK QTY	CTN QTY
310-4003-B	Poly Bag	Yellow	200	10 Boxes
310-4002	Pillow Pack	Yellow	200	10 Boxes

CLASS 5 CORDED EARPLUGS

FRONTIER
PERSONAL PROTECTION




FOAM CORDED EARPLUGS YELLOW SLC80 27dB

FEATURES AND BENEFITS

- Hearing protection for noise levels up to 112dB (A)
- Soft PU memory foam for comfort
- Hi vis colour to identify wearer compliance

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
FRPLUGCRDYY00C5	Yellow	100	1000



CLASS 5 CORDED EARPLUGS

Honeywell
HOWARD LEIGHT



MAX®-30 CORDED EARPLUGS SLC80 26dB

FEATURES AND BENEFITS

- Bell shape, for maximum in-ear comfort
- Contoured design, easy to insert
- Smooth, soil resistant skin prevents dirt build up

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
H-MAX-30	Coral	100	1000

Honeywell
HOWARD LEIGHT



AIRSOFT™ RE-USABLE CORDED PLUG DISPENSER BOX 100 PR SLC80 26dB


FEATURES AND BENEFITS

- Earplugs with air cushion and internal noise-blocking flanges
- Four flanges for a better seal in the ear canal
- Integrated stem for ease of insertion and removal
- Delivers optimal protection and increased long-term comfort

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
DPAS-30R	Blue	100	1000

FRONTIER
PERSONAL PROTECTION



METAL DETECTABLE EARPLUGS SLC80 27dB

FEATURES AND BENEFITS

- Easy discernible metal detection system
- Soft PU memory foam for comfort
- Bright blue colour for easy compliance checks
- 100% PVC free

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
FRDTECPGLBL00C5	Blue	100	1000

MOLDEX



SPARKPLUG™ CORDED EARPLUGS SLC80 29dB


FEATURES AND BENEFITS

- Extra soft, low pressure foam for comfortable fit
- Tapered shape for easy insertion and removal - fit small ear canals
- Non-irritating smooth surface
- 100% PVC free

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
6654	Multi	100	20

Honeywell
HOWARD LEIGHT



X-TREME® XTR-30 CORDED EARPLUGS SLC80 26dB


FEATURES AND BENEFITS

- Comfortable with high attenuation
- Brightly coloured offering high visibility and worker compliance
- Smooth tapered shape for easy insertion and removal
- Smooth, soil resistant skin prevents dirt build up

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
1006717	Orange/Dark Blue	100	1000

3M EAR



E-A-RSOFT™ FX™ CORDED EARPLUGS IN POLYBAG SLC80 26dB

FEATURES AND BENEFITS

- Soft, pliable foam offers comfort for extended wear
- Bell shape slow recovery foam that effectively seals the ear canal
- Compatible with EARfit™ validation system
- Suitable for general industry

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
312-1260	Yellow	200	10

CLASS 3+4 CORDED EARPLUGS



E-A-RSM SUPERFITSM CORDED EARPLUGS REGULAR SLC80 23dB

FEATURES AND BENEFITS

- Red line provide a visible indication of correct fit
- Tapered design of the earplug provide high protection levels
- Suitable for general Industry
- Supplied in poly bag

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
311-1254	Yellow	200	10 Boxes



GLIDE[®] TWIST IN FOAM EARPLUGS WITH CORD SLC80 24dB

FEATURES AND BENEFITS

- No roll down required
- Large handle on curved stem for easy insertion and removal
- Large soft foam pod for a comfortable, snug seal
- 100% PVC-free

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
6945	Green	100	4 Boxes



E-A-RSM PUSH-INSSM CORDED EARPLUGS SLC80 23dB

FEATURES AND BENEFITS

- No roll down provides a quick and easy way to use earplugs
- Heat activated foam moulds foam to the ear canal
- Perfect for wearers with dirty hands
- Stem aids insertion
- Supplied in poly bag

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
318-1003	Yellow	200	10 Boxes



E-A-RSM EXPRESS ASSORTED CORDED EARPLUGS PILLOW PACK SLC80 19dB

FEATURES AND BENEFITS

- High noise environment
- Paddle-style grips make fitting easier, no roll down required
- Perfect for wearers with dirty hands
- Stem aids insertion
- Supplied in re-usable pillow pack

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
321-2115	Yellow/Blue	100	4 Boxes



CLASS 5 DISPENSERS + REFILLS

MOLDEX



MOLDEX



PLUGSTATION™ WITH SPARKPLUGS™ 250 PAIRS UNCORDED SLC80 29dB

FEATURES AND BENEFITS

- High visibility PlugStation™
- Increased compliance and less waste
- Dispenses individually packaged uncorDED SparkPlugs™
- Mounts to wall or stands as table-top dispenser with balanced footing

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
6605	Multi	250/Dispenser	4

PLUGSTATION™ WITH SPARKPLUGS™ 500 PAIRS UNCORDED SLC80 29dB

FEATURES AND BENEFITS

- High visibility PlugStation™
- Increased compliance and less waste
- Dispenses SparkPlugs™
- Mounts to wall or stands as table-top dispenser with balanced footing

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
6645	Multi	500/Dispenser	4

MOLDEX



Honeywell
HOWARD LEIGHT



PLUGSTATION™ WITH SPARKPLUG™ 150 PAIRS CORDED SLC80 29dB

FEATURES AND BENEFITS

- High visibility PlugStation™
- Increased compliance and less waste
- Dispenses SparkPlugs™
- Mounts to wall or stands as table-top dispenser with balanced footing

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
6880	Multi	150/Dispenser	4

MAX-1® EARPLUG LS-500 REFILL SLC80 26dB

FEATURES AND BENEFITS

- Refill box of 500 pairs
- Ideal size for workers with smaller ear canal
- Polyurethane bell shaped foam delivers long wearing comfort

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
MAX-1-D	Coral	500/Box	4

CLASS 4 DISPENSERS + REFILLS

Honeywell
HOWARD LEIGHT



Honeywell
HOWARD LEIGHT



MAX LITE® LS-400 DISPENSER REFILL 200 PAIRS SLC80 25dB

FEATURES AND BENEFITS

- Refill box of 200 pairs
- Ideal size for workers with smaller ear canal
- Contoured T-shape for easy handling and wear
- Low pressure polyurethane foam expands gently for long wearing comfort

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
LPF-LS4	Green	200	2000

LASER LITE® DISPENSER REFILL SLC80 25dB

FEATURES AND BENEFITS

- Refill box of 500 pairs
- Vibrant colours for visible protection
- Self adjusting foam fits virtually every wearer
- Comfortable, long term wear

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
LL-1-D	Magenta/Yellow	500	2000

Honeywell
HOWARD LEIGHT



STARTER
PACK

Honeywell
HOWARD LEIGHT



HL-400 DISPENSER WITH 1 PREFILLED CANISTER OF 400 PAIRS EARPLUGS

FEATURES AND BENEFITS

- Built for lightweight, durable convenience
- Canister is a polycarbonate blow-mold and recyclable
- Easy access to hearing protection, twist knob to dispense earplugs

CODE	DISPENSER COMES WITH	COLOUR	PACK QTY
50129769-001	HL400 LL-1 & 400 Laser Lite® Earplugs	Black	1
50129770-001	HL400 MAX-1 & 400 Max® Earplugs	Black	1
50129771-001	HL400 LPF-1 & 400 Max Lite® Earplugs	Black	1

LS-500 DISPENSER (SUPPLIED EMPTY)

FEATURES AND BENEFITS

- Heavy-duty anodized aluminium
- Mount on wall for easy access
- Twist knob to dispense earplugs
- Holds 500 pairs of Howard Leight earplugs: Max®, Max Lite®, Laser Lite®, Multi Max®, X-TREME®

CODE	COLOUR	PACK QTY	CTN QTY
LS-500A	Blue	1	-

REUSABLE EARPLUGS

Honeywell
HOWARD
LEIGHT



CLASS 5 AIRSOFT™ VINYL CORD EARPLUG SLC80 26dB

FEATURES AND BENEFITS

- Optimal protection and increased long-term comfort
- Four-flange profile creates better seal and fit in ear canal
- Firm stem facilitates easy insertion and removal
- Outstanding high attenuation, noise-blocking protection

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
AS-30R	Blue/Red	50	500

MOLDEX



CLASS 4 ROCKET® CORDED EARPLUGS SLC80 22dB

FEATURES AND BENEFITS

- Easy grip handle lets earplugs easily slip into ear
- Air bubble in tip provides cushioned comfort
- Can be washed and re-used
- 100% PVC-free

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
6405A	-	50	4

MOLDEX



CLASS 5 GLIDE® TRIO EARPLUGS SLC80 26dB

FEATURES AND BENEFITS


- NEW twist in reusable earplugs
- Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion and removal
- Cord can be attached at any desired length

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
6445	Green	50	4

REUSABLE EARPLUGS

Honeywell
HOWARD
LEIGHT



CLASS 3 QB2 HEADBAND EARPLUGS SLC80 21dB

FEATURES AND BENEFITS

- Patented band design prevents earpods from touching contaminated surfaces
- Soft pads rest partially in ear for a balance of protection and comfort
- Lightweight and portable

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
QB2HYG	Orange Band / Pod	1	10

3M EAR



CLASS 3 E-A-R™ ULTRAFIT™ CORDED EARPLUGS POLY BAG SLC80 18dB

FEATURES AND BENEFITS


- Reusable triple flange design ensures high protection levels
- Moderate noise exposure
- Instant use - no roll down required
- Pre-moulding delivers performance in a variety of environments

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
340-4004	Yellow/Blue	100/Pair	4



Honeywell
HOWARD
LEIGHT



CLASS 3 REPLACEMENT FOAM PLUGS FOR QB2 AND QB3


FEATURES AND BENEFITS

- Soft pads rest partially in ear for a balance of protection and comfort

STANDARDS
AS/NZS 1270:2002

CODE	SLC 80 dB (A)	COLOUR	PACK QTY	CTN QTY
QB200	21	Orange	50	-
QB300	20	Orange	50	-

Honeywell
HOWARD
LEIGHT



CLASS 3 QB3 HEADBAND EARPLUG SLC80 20 dB

FEATURES AND BENEFITS

- Patented band design prevents earpods from touching contaminated surfaces
- Soft pads rest partially in ear for a balance of protection and comfort
- Lightweight and portable

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
QB3HYG	Orange Band / Pod	50	10

CLASS 4+5 ELECTRONIC EARMUFFS

3M PELTOR®



TWO-WAY RADIO HEADSET



CLASS 5 PELTOR™ LITECOM™ PRO II HEADSET HEADBAND SLC80 31dB

FEATURES AND BENEFITS

- Headset-to-headset communication with ability to be integrated with similar professional radio communication systems
- Up to 30 programmable channels in 450-520MHz frequency
- Noise attenuation protection
- Noise cancelling speech microphone helps provide clear communication in noisy environments

STANDARDS
AS/NZS 1270:2002, CE Approved

CODE	COLOUR	PACK QTY	CTN QTY
3MMT7H7A5010-AZ0	Black/Blue	1	-

3M PELTOR®



COMMUNICATIONS HEADBAND EARMUFF



CLASS 5 PELTOR™ PROTAC™ III HEADSET HEADBAND SLC80 30dB

FEATURES AND BENEFITS

- Built-in level-dependent function allows wearer to hear ambient sounds, such as conversations, machine sounds and warning signals
- 3.5 mm listen-only stereo input (limited to 82 dB) for connection to external devices (e.g. mobile phone, radio, two-way radio and iPod)
- Voice-guided menu system avoids removal of headset for setting changes
- Auto power off after 4 hours of non-use, saves energy and a low-battery warning informs when to change batteries

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
3MMT13H220A	Black	1	-

3M PELTOR®



COMMUNICATIONS CAP ATTACH EARMUFF



CLASS 5 PELTOR™ PROTAC™ III HEADSET CAP ATTACHED SLC80 30dB

FEATURES AND BENEFITS

- Built-in level-dependent function allows wearer to hear ambient sounds, such as conversations, machine sounds and warning signals
- 3.5 mm listen-only stereo input (limited to 82 dB) for connection to external devices (e.g. mobile phone, radio, two-way radio and iPod)
- Voice-guided menu system avoids removal of headset for setting changes
- Auto power off after 4 hours of non-use, saves energy and a low-battery warning informs when to change batteries

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
3MMT13H220P3E	Black	1	-

Honeywell HOWARD LEIGHT



CLASS 5 SYNC® WIRELESS EARMUFF SLC80 31dB

FEATURES AND BENEFITS

- Call or stream music from mobile device, whilst working in a noisy environment
- Easy push button connectivity to any Bluetooth device
- Robust boom microphone with windsock for voice clarity in high noise environments
- Lithium Ion battery featuring 16+ hours of battery life whilst streaming

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
RWS-53017	Black	1	2

CLASS 4+5 ELECTRONIC EARMUFFS

Honeywell HOWARD LEIGHT



CLASS 4 SYNC™ ELECTO® CAP-MOUNTED EARMUFF SLC80 23dB

FEATURES AND BENEFITS

- Combines the entertainment benefit of FM radio earmuffs with advanced sound amplification technology
- Positioned microphones provide more natural, directional hearing
- Advanced response technology, amplifies incoming sounds to 82dB, then acts as a passive earmuff for sounds above 85dB
- Sound amplification enables wearer to hear important noises

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
1030334	Black	1	5

Honeywell HOWARD LEIGHT



CLASS 5 SYNC™ ELECTO® EARMUFF SLC80 26dB

FEATURES AND BENEFITS

- Combines the entertainment benefit of FM radio earmuffs with advanced sound amplification technology
- Positioned microphones provide more natural, directional hearing
- Advanced response technology, amplifies incoming sounds to 82dB, then acts as a passive earmuff for sounds above 85dB
- Sound amplification enables wearer to hear important noises

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
1030333	Black	1	5

Honeywell HOWARD LEIGHT



CLASS 5 SYNC™ RADIO EARMUFF AM/FM SLC80 26dB

FEATURES AND BENEFITS

- Light green/yellow ear cups provide high visibility and contrast, and the reflective headband illuminates under light for increased visibility.
- AirFlow Control technology, delivers optimum attenuation across all frequencies, without increasing earcup size or weight.
- 10 pre-set stations, easy to use and switch from one station to another.
- 3.5mm AUX input can be connected to MP3 players and smart phones.

STANDARDS
AS/NZS 1270:2002

CODE	COLOUR	PACK QTY	CTN QTY
1030332	Green/Yellow	1	5



QUICK REFERENCE CHART

APPROVED STANDARDS: AS/NZS 1270:2002

BRAND	CODE	DESCRIPTION	SLC80(dB)	CLASS
EARMUFFS				
Moldex	6130	MX-6 Earmuff	34dB	5
3M	H10B	Peltor™ Earmuff Neckband	34dB	5
3M	H10A	Peltor™ Earmuff Headband	33dB	5
3M	H10P3G	Peltor™ Earmuff Cap Attached	33dB	5
Honeywell	1010924	Leightning® Earmuff Headband L3	33dB	5
Moldex	6120	MX-5 Earmuff	32dB	5
Frontier	FRPROHBMF000CL5	PRO Overhead Earmuff	31dB	5
Frontier	FRPROCAMF000CL5	PRO Helmet Attached Earmuff	31dB	5
Frontier	FRPRONBMFBK0CL5	PRO Neckband Earmuff	31dB	5
Frontier	FREARMUFFY00C5	Overhead Earmuff	30dB	5
3M	H7A	Peltor™ Earmuff Headband	30dB	5
3M	H7P3G	Peltor™ Earmuff Cap Attach	30dB	5
3M	H7B	Peltor™ Earmuff Neckband	30dB	5
Honeywell	1011997	Leightning® Folding Earmuff Medium Profile L2F	30dB	5
Honeywell	1011994	Leightning® Earmuff Neckband L1N	30dB	5
Honeywell	1010922	Leightning® Earmuff Headband L1	29dB	5
Honeywell	1012530	Thunder® Cap Mounted Earmuff T1H	26dB	5
Honeywell	1013461	Leightning® L0F Earmuff Foldable	25dB	4
Frontier	FREARMUFFW00C4	CL4 Overhead Earmuff	24dB	4
3M	H9A	Peltor™ Headband Earmuff	24dB	4
3M	H9P3G	Peltor™ Cap Attach Earmuff	24dB	4
3M	H9B	Peltor™ Neckband Earmuff	24dB	4
ELECTRONIC EARMUFFS				
3M	3MMT7H7A5010-AZ0	PELTOR™ LiteCom™ Pro II Headband Headset	31dB	5
Honeywell	RWS-53017	SYNC® Wireless Earmuff	31dB	5
3M	3MMT13H220A	PELTOR™ ProTac™ III Headset Headband	30dB	5
3M	3MMT13H220P3E	PELTOR™ ProTac™ III Headset Cap Attached	30dB	5
Honeywell	1030333	Sync™ Electro® Earmuff	26dB	5
Honeywell	1030332	Sync™ Radio Earmuff AM/FM	26dB	5
Honeywell	1030334	Sync™ Electro® Cap-Mounted Earmuff	23dB	4
DISPOSABLE EAR PLUGS - UNCORDED				
Moldex	6604	SparkPlug™, uncorded	29dB	5
Frontier	FREARPLUGY00C5	Uncorded Foam Ear Plugs Yellow	27dB	5
3M	318-1008	E-A-R™ Push-Ins™ with Grip Rings Uncorded Earplugs, Poly Bag	27dB	5
3M	312-1261	E-A-Rsoft™ FX™ Uncorded Earplugs, Poly Bag	26dB	5
Honeywell	MAX-1BOX	Max®-1 Ear Plugs Uncorded	26dB	5
Honeywell	1006716	X-Treme® XTR-1 Uncorded Earplugs	26dB	5
3M	P1300	Skull Screws™ Uncorded Earplug, Poly Bag	23dB	5
Honeywell	H-LPF-1	MaxLite® Earplugs	25dB	4
Honeywell	LL-1-B	Laser Lite® LL-1 UnCorded Earplug	25dB	4
3M	312-1256	E-A-Rsoft™ SuperFit™ 30 Uncorded Earplugs Regular, Poly Bag	24dB	4
3M	312-1255	E-A-Rsoft™ SuperFit™ 30 Uncorded Earplugs Large, Poly Bag	24dB	4
3M	310-4003-B	E-A-R™ Classic™ Platinum™ Uncorded Earplugs, Poly Bag	23dB	4
3M	310-4002	E-A-R™ Classic™ Platinum™ Uncorded Earplugs, Pillow Pack	23dB	4

BRAND	CODE	DESCRIPTION	SLC80(dB)	CLASS
DISPOSABLE EAR PLUGS - CORDED				
Frontier	FRPLUGCRDYY00C5	Frontier Foam Ear Plugs Corded Yellow	27dB	5
Frontier	FRDTECPGLBL00C5	Frontier Metal Detectable Ear Plugs	27dB	5
Honeywell	H-MAX-30	Max®-30 Ear Plug Corded SLC80	26dB	5
Honeywell	1006717	X-Treme® XTR-30 Corded Earplugs	26dB	5
3M	312-1260	3M™ E-A-Rsoft™ FX™ Corded Earplugs in polybag	26dB	5
Moldex	6945	Moldex GLIDE® Twist In Foam Earplugs with cord	24dB	4
3M	311-1254	3M™ E-A-Rsoft™ SuperFit™ Corded Earplugs Regular, Poly Bag	23dB	4
3M	318-1003	3M™ E-A-R™ Push-Ins™ Corded Earplugs, Poly Bag	23dB	4
3M	321-2115	3M™ E-A-R™ Express Assorted Corded Earplugs, Pillow Pack	19dB	3
REUSABLE EAR PLUGS - CORDED				
Honeywell	AS-30R	Airsoft™ Earplug C/W Red Vinyl Cord Sold As Pair (Box)	26dB	5
Moldex	6445	Glide™ Trio	26dB	5
Moldex	6405A	Moldex Rocket®, Corded Ear Plug	22dB	4
3M	340-4004	3M™ E-A-R™ UltraFit™ Corded Earplugs, Poly Bag	18dB	3
REUSABLE EAR PLUGS - HEADBAND				
Honeywell	DPAS-30R	Airsoft™ Re-Usable Corded Plug	26dB	5
Honeywell	QB2HYG	QB2 Headband Earplug	21dB	3
Honeywell	QB200	Foam Plugs for QB2	21dB	3
Honeywell	QB3HYG	QB3 Headband Earplug	20dB	3
Honeywell	QB300	Foam Plugs for QB3	20dB	3
DISPENSER STATIONS AND REFILLS				
Moldex	6605	Plugstation™ with SparkPlugs™ 250 pairs uncorded packaged	29dB	5
Moldex	6645	Plugstation™ with SparkPlugs™ 500 pairs uncorded	29dB	5
Moldex	6880	Plugstation™ with Sparkplug™ 150 Pairs Corded	29dB	5
Honeywell	MAX-1-D	MAX-1 Earplug Uncorded LS-500 Refill	26dB	5
Honeywell	50129770-001	HL400 MAX-1 Dispenser with 1 prefilled canister of 400 pairs MAX earplugs	26dB	5
Honeywell	LPF-LS4	Max Lite Uncorded Ls-400 Dispenser Refill 200Pr	25dB	4
Honeywell	LL-1-D	Laser Lite dispenser refill	25dB	4
Honeywell	50129769-001	HL400 LL-1 Dispenser with 1 prefilled canister of 400 pairs Laser Lite earplugs	25dB	4
Honeywell	50129771-001	HL400 LPF-1 Dispenser with 1 prefilled canister of 400 pairs Max Lite earplugs	25db	4
Honeywell	LS-500A	LS-500 Dispenser (supplied empty)	N/A	4
ACCESSORIES				
Moldex	6605	Plugstation™ with SparkPlugs™ 250 pairs uncorded packaged	29dB	5
Moldex	6645	Plugstation™ with SparkPlugs™ 500 pairs uncorded	29dB	5
Moldex	6880	Plugstation™ with Sparkplug™ 150 Pairs Corded	29dB	5
Honeywell	MAX-1-D	MAX-1 Earplug Uncorded LS-500 Refill	26dB	5
Honeywell	50129770-001	HL400 MAX-1 Dispenser with 1 prefilled canister of 400 pairs MAX earplugs	26dB	5
Honeywell	LPF-LS4	Max Lite Uncorded Ls-400 Dispenser Refill 200Pr	25dB	4
Honeywell	LL-1-D	Laser Lite dispenser refill	25dB	4
Honeywell	50129769-001	HL400 LL-1 Dispenser with 1 prefilled canister of 400 pairs Laser Lite earplugs	25dB	4
Honeywell	50129771-001	HL400 LPF-1 Dispenser with 1 prefilled canister of 400 pairs Max Lite earplugs	25db	4
Honeywell	LS-500A	LS-500 Dispenser (supplied empty)	N/A	4
Honeywell	1000365	Cool Pads		
Honeywell	OPSB	Earmuff Cushion Covers Optisorb		

FOR SAFE WORKING LIVES



safety

Bunzl Safety

55 Sarah Andrews Close
Erskine Park NSW 2759

1800 967 573

bunzlsafety.com.au